



Bombilla LED E14




REF. **7056-57-58-N**

Referencia	Temperatura de color	Potencia	Lúmenes	IP	CRI	PF	ÁNG.
7056-N	3000K	6W	810 LM	20	>80	>0.5	360°
7057-N	4000K	6W	810 LM	20	>80	>0.5	360°
7058-N	6000K	6W	810 LM	20	>80	>0.5	360°




Bombilla LED E27
Bombilla LED E14



REF. **7050-51-52-N**



REF. **7053-54-55-N**



Referencia	Temperatura de color	Potencia	Lúmenes	Casquillo	IP	CRI	PF	ÁNG.
7050-N	3000K	6W	810 LM	E14	20	>80	>0.5	360°
7051-N	4000K	6W	810 LM	E14	20	>80	>0.5	360°
7052-N	6000K	6W	810 LM	E14	20	>80	>0.5	360°
7053-N	3000K	6W	810 LM	E27	20	>80	>0.5	360°
7054-N	4000K	6W	810 LM	E27	20	>80	>0.5	360°
7055-N	6000K	6W	810 LM	E27	20	>80	>0.5	360°


Bombilla LED E27



REF. **7031-N**



REF. **7032-33-34-N**




Referencia	Temperatura de color	Potencia	Lúmenes	IP	CRI	PF	ÁNG.
7031-N	RGB + 4000K	9W	1710 LM	20	>80	>0.5	300°


Referencia	Temperatura de color	Potencia	Lúmenes	IP	CRI	PF	ÁNG.
7032-N	3000K	12W	1620 LM	20	>80	>0.5	360°
7033-N	4000K	12W	1620 LM	20	>80	>0.5	360°
7034-N	6000K	12W	1620 LM	20	>80	>0.5	360°



Bombilla LED E27



REF. **7022-N, 7023-N**



REF. **7026-N**

Referencia	Temperatura de color	Potencia	Lúmenes
7022-N	3000K	9W	990 lm
7023-N	4000K	9W	990 lm
7026-N	6000K	9W	950 lm



Módulos LED



REF. **MODULO-80-DIM**



REF. **MODULO-28-6-RECT**



REF. **MODULO-80-4**

Referencia	Temperatura de color	Potencia	Medidas
MODULO-28-6-RECT	6000K	28W	40 x 6cm
MODULO-80-4	4000K	80W	38cm Ø
MODULO-80-DIM	4000 /3000 /6500K	80W	38cm Ø

